

DOCUMENT OF COMPLIANCE FOR THE CARRIAGE OF SOLID BULK CARGOES

Issued in accordance with the provisions of the
INTERNATIONAL MARITIME SOLID BULK CARGOES (IMSBC) CODE,
AS ADOPTED BY RESOLUTION MSC.268(85),
as amended,

under the authority of the Government of

THE COMMONWEALTH OF THE BAHAMAS

by GERMANISCHER LLOYD

Name of Ship	Distinctive Number or Letters	Port of Registry	Gross Tonnage	IMO Number
SPECIMEN	ABC123	Nassau	39000.00	1234567

THIS IS TO CERTIFY:

- 1 That the construction and equipment of the above-mentioned ship have been found to comply with the provisions of the Code, as amended.
- 2 That the ship is suitable for the carriage of those solid bulk cargoes as specified in the appendix hereto, subject to
 - any provisions of the Code, as amended, for individual bulk cargoes being complied with;
 - the conditions stated in chapter VI of the SOLAS Convention, as amended, being complied with;
 - the conditions stated in the Document of Compliance for the Carriage of Dangerous Goods, according to regulation II-2/19.4 of the SOLAS Convention, being complied with.

This document is valid until **31st December, 2015**.

Issued at **Hamburg** the **4th** day of **February, 2011**.



Friedo Holtermann


Christoph Busche

The above gross tonnage has been measured by the tonnage authorities of the Administration in accordance with the national tonnage rules which were in force prior to the coming into force of the International Convention on Tonnage Measurements, 1969.

APPENDIX

LIST OF CARGOES

Cargo spaces indicated in the plan are corresponding with the table below



Bulk cargo shipping name	Group	Class	Hold No.	Footnotes
ALFALFA	C	N.A.	1, 2, 3, 4, 5, 6, 7	
ALUMINA	C	N.A.	1, 2, 3, 4, 5, 6, 7	
ALUMINA SILICA	C	N.A.	1, 2, 3, 4, 5, 6, 7	
ALUMINA SILICA, pellets	C	N.A.	1, 2, 3, 4, 5, 6, 7	
ALUMINA, CALCINED	C	N.A.	1, 2, 3, 4, 5, 6, 7	
ALUMINIUM NITRATE UN 1438	B	5.1	1, 2, 3, 4, 5, 6, 7	
AMMONIUM NITRATE BASED FERTILIZER (non-hazardous)	C	N.A.	1, 2, 3, 4	1
AMMONIUM NITRATE BASED FERTILIZER (non-hazardous)	C	N.A.	5, 6	1, 2
AMMONIUM NITRATE BASED FERTILIZER (non-hazardous)	C	N.A.	7	1, 2, 3
AMMONIUM NITRATE BASED FERTILIZER UN 2067	B	5.1	1, 2, 3, 4	1
AMMONIUM NITRATE BASED FERTILIZER UN 2067	B	5.1	5, 6	1, 2, 4
AMMONIUM NITRATE BASED FERTILIZER UN 2067	B	5.1	7	1, 2, 3, 4
AMMONIUM NITRATE BASED FERTILIZER UN 2071	B	9	1, 2, 3, 4	1
AMMONIUM NITRATE BASED FERTILIZER UN 2071	B	9	5, 6	1, 2
AMMONIUM NITRATE BASED FERTILIZER UN 2071	B	9	7	1, 2, 3
AMMONIUM NITRATE UN 1942	B	5.1	1, 2, 3, 4	
AMMONIUM NITRATE UN 1942	B	5.1	5, 6	4
AMMONIUM NITRATE UN 1942	B	5.1	7	3, 4
AMMONIUM SULPHATE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
ANTIMONY ORE AND RESIDUE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
BARIUM NITRATE UN 1446	B	5.1	1, 2, 3, 4, 5, 6, 7	
BARYTES	C	N.A.	1, 2, 3, 4, 5, 6, 7	
BAUXITE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
BIOSLUDGE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
BORAX (PENTAHYDRATE CRUDE)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
BORAX, ANHYDROUS (crude or refined)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
BROWN COAL BRIQUETTES	B	MHB	1, 2, 3, 4	1, 5, 6, 7

Bulk cargo shipping name	Group	Class	Hold No.	Footnotes
BROWN COAL BRIQUETTES	B	MHB	5, 6, 7	1, 5, 6, 7, 8
CALCIUM NITRATE FERTILIZER	C	N.A.	1, 2, 3, 4, 5, 6, 7	
CALCIUM NITRATE UN 1454	B	5.1	1, 2, 3, 4, 5, 6, 7	
CARBORUNDUM	C	N.A.	1, 2, 3, 4, 5, 6, 7	
CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE UN 2969	B	9	1, 2, 3, 4, 5, 6, 7	
CEMENT	C	N.A.	1, 2, 3, 4, 5, 6, 7	
CEMENT CLINKERS	C	N.A.	1, 2, 3, 4, 5, 6, 7	
CHAMOTTE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
CHARCOAL	B	MHB	1, 2, 3, 4, 5, 6, 7	
CHOPPED RUBBER AND PLASTIC INSULATION	C	N.A.	1, 2, 3, 4, 5, 6, 7	
CHROME PELLETS	C	N.A.	1, 2, 3, 4, 5, 6, 7	
CHROMITE ORE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
CLAY	C	N.A.	1, 2, 3, 4, 5, 6, 7	
COAL	B (and A)	MHB	1, 2, 3, 4	1, 5, 6, 7
COAL	B (and A)	MHB	5, 6, 7	1, 5, 6, 7, 8
COAL SLURRY	A	N.A.	1, 2, 3, 4, 5, 6, 7	5
COARSE CHOPPED TYRES	C	N.A.	1, 2, 3, 4, 5, 6, 7	5
COKE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
COKE BREEZE	A	N.A.	1, 2, 3, 4, 5, 6, 7	
COLEMANITE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
COPPER GRANULES	C	N.A.	1, 2, 3, 4, 5, 6, 7	
COPPER MATTE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
COPRA (dry) UN 1363	B	4.2	1, 2, 3, 4	1, 6
COPRA (dry) UN 1363	B	4.2	5, 6, 7	1, 6, 9
CRYOLITE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
DIAMMONIUM PHOSPHATE (D.A.P.)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
DIRECT REDUCED IRON (A) Briquettes, hot-moulded	B	MHB	1, 2, 3, 4, 5, 6, 7	1, 6, 10
DOLOMITE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
FELSPAR LUMP	C	N.A.	1, 2, 3, 4, 5, 6, 7	
FERROCHROME	C	N.A.	1, 2, 3, 4, 5, 6, 7	

Bulk cargo shipping name	Group	Class	Hold No.	Footnotes
FERROCHROME, exothermic	C	N.A.	1, 2, 3, 4, 5, 6, 7	
FERROMANGANESE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
FERRONICKEL	C	N.A.	1, 2, 3, 4, 5, 6, 7	
FERROUS METAL BORINGS, SHAVINGS, TURNINGS or CUTTINGS UN 2793	B	4.2	1, 2, 3, 4, 5, 6, 7	11
FERTILIZERS WITHOUT NITRATES	C	N.A.	1, 2, 3, 4, 5, 6, 7	
FISH (IN BULK)	A	N.A.	1, 2, 3, 4, 5, 6, 7	
FISHMEAL (FISHSCRAP), STABILIZED UN 2216	B	9	1, 2, 3, 4, 5, 6, 7	1, 6
FLUORSPAR	A and B	MHB	1, 2, 3, 4, 5, 6, 7	6
FLY ASH	C	N.A.	1, 2, 3, 4, 5, 6, 7	
GRANULATED SLAG	C	N.A.	1, 2, 3, 4, 5, 6, 7	
GRANULATED TYRE RUBBER	C	N.A.	1, 2, 3, 4, 5, 6, 7	
GYPSUM	C	N.A.	1, 2, 3, 4, 5, 6, 7	
ILMENITE CLAY	A	N.A.	1, 2, 3, 4, 5, 6, 7	
ILMENITE SAND	A or C	N.A.	1, 2, 3, 4, 5, 6, 7	
IRON ORE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
IRON ORE PELLETS	C	N.A.	1, 2, 3, 4, 5, 6, 7	
IRON OXIDE, SPENT or IRON SPONGE, SPENT UN 1376	B	4.2	1, 2, 3, 4, 5, 6, 7	6, 10
IRONSTONE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
LABRADORITE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
LEAD NITRATE UN 1469	B	5.1	1, 2, 3, 4, 5, 6, 7	
LEAD ORE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
LIME (UNSLAKED)	B	MHB	1, 2, 3, 4, 5, 6, 7	
LIMESTONE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
LINTED COTTON SEED	B	MHB	1, 2, 3, 4, 5, 6, 7	6
MAGNESIA (DEADBURNED)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
MAGNESIA (UNSLAKED)	B	MHB	1, 2, 3, 4, 5, 6, 7	
MAGNESITE, natural	C	N.A.	1, 2, 3, 4, 5, 6, 7	
MAGNESIUM NITRATE UN 1474	B	5.1	1, 2, 3, 4, 5, 6, 7	

Bulk cargo shipping name	Group	Class	Hold No.	Footnotes
MANGANESE ORE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
MARBLE CHIPS	C	N.A.	1, 2, 3, 4, 5, 6, 7	
METAL SULPHIDE CONCENTRATES	A and B	MHB	1, 2, 3, 4, 5, 6, 7	6, 12
METAL SULPHIDE CONCENTRATES, presenting a low fire-risk and subject to the Administrations authorization as provided by SOLAS regulation II-2/10.7.1.4	A and B	MHB	1, 2, 3, 4, 5, 6, 7	6, 12
Mineral Concentrates	A	N.A.	1, 2, 3, 4, 5, 6, 7	
MONOAMMONIUM PHOSPHATE (M.A.P.)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
PEANUTS (in shell)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
PEAT MOSS	A and B	MHB	1, 2, 3, 4, 5, 6, 7	6
PEBBLES (sea)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
PELLETS (concentrates)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
PERLITE ROCK	C	N.A.	1, 2, 3, 4, 5, 6, 7	
PETROLEUM COKE (calcined or uncalcined)	B	MHB	1, 2, 3, 4, 5, 6, 7	
PHOSPHATE (defluorinated)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
PHOSPHATE ROCK (calcined)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
PHOSPHATE ROCK (uncalcined)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
PIG IRON	C	N.A.	1, 2, 3, 4, 5, 6, 7	
PITCH PRILL	B	MHB	1, 2, 3, 4, 5, 6, 7	
POTASH	C	N.A.	1, 2, 3, 4, 5, 6, 7	
POTASSIUM CHLORIDE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
POTASSIUM NITRATE UN 1486	B	5.1	1, 2, 3, 4, 5, 6, 7	
POTASSIUM SULPHATE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
PUMICE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
PYRITE (containing copper and iron)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
PYRITES, CALCINED	A and B	MHB	1, 2, 3, 4, 5, 6, 7	
PYROPHYLLITE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
QUARTZ	C	N.A.	1, 2, 3, 4, 5, 6, 7	
QUARTZITE	C	N.A.	1, 2, 3, 4, 5, 6, 7	

Bulk cargo shipping name	Group	Class	Hold No.	Footnotes
RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-I) UN 2912	B	7	1, 2, 3, 4, 5, 6, 7	
RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-I) UN 2913	B	7	1, 2, 3, 4, 5, 6, 7	
RASORITE (ANHYDROUS)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
RUTILE SAND	C	N.A.	1, 2, 3, 4, 5, 6, 7	
SALT	C	N.A.	1, 2, 3, 4, 5, 6, 7	
SALT CAKE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
SALT ROCK	C	N.A.	1, 2, 3, 4, 5, 6, 7	
SAND	C	N.A.	1, 2, 3, 4, 5, 6, 7	
SAWDUST	B	MHB	1, 2, 3, 4, 5, 6, 7	
SCRAP METAL	C	N.A.	1, 2, 3, 4, 5, 6, 7	
SEED CAKE (non-hazardous)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
SEED CAKE, containing vegetable oil UN 1386 (a)	B	4.2	1, 2, 3, 4, 5, 6, 7	1
SEED CAKE, containing vegetable oil UN 1386 (b) mechanically expelled seeds	B	4.2	1, 2, 3, 4, 5, 6, 7	1, 13
SODA ASH	C	N.A.	1, 2, 3, 4, 5, 6, 7	
SODIUM NITRATE AND POTASSIUM NITRATE MIXTURE UN 1499	B	5.1	1, 2, 3, 4, 5, 6, 7	
SODIUM NITRATE UN 1498	B	5.1	1, 2, 3, 4, 5, 6, 7	
STAINLESS STEEL GRINDING DUST	C	N.A.	1, 2, 3, 4, 5, 6, 7	
STONE CHIPPINGS	C	N.A.	1, 2, 3, 4, 5, 6, 7	
SUGAR	C	N.A.	1, 2, 3, 4, 5, 6, 7	
SULPHATE OF POTASH AND MAGNESIUM	C	N.A.	1, 2, 3, 4, 5, 6, 7	
SULPHUR (formed, solid)	C	N.A.	1, 2, 3, 4, 5, 6, 7	6
SULPHUR UN 1350	B	4.1	1, 2, 3, 4, 5, 6, 7	13
SUPERPHOSPHATE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
SUPERPHOSPHATE (triple granular)	C	N.A.	1, 2, 3, 4, 5, 6, 7	
TACONITE PELLETS	C	N.A.	1, 2, 3, 4, 5, 6, 7	
TALC	C	N.A.	1, 2, 3, 4, 5, 6, 7	
TANKAGE	B	MHB	1, 2, 3, 4, 5, 6, 7	1
UREA	C	N.A.	1, 2, 3, 4, 5, 6, 7	

Bulk cargo shipping name	Group	Class	Hold No.	Footnotes
VANADIUM ORE	B	MHB	1, 2, 3, 4, 5, 6, 7	
VERMICULITE	C	N.A.	1, 2, 3, 4, 5, 6, 7	
WHITE QUARTZ	C	N.A.	1, 2, 3, 4, 5, 6, 7	
WOOD PELLETS	B	MHB	1, 2, 3, 4, 5, 6, 7	6
WOODCHIPS having a moisture content of 15 % or more	B	MHB	1, 2, 3, 4, 5, 6, 7	6
WOODCHIPS having a moisture content of less than 15 %	B	MHB	1, 2, 3, 4, 5, 6, 7	6
ZIRCON SAND	C	N.A.	1, 2, 3, 4, 5, 6, 7	

For footnotes see next page

APPENDIX

LIST OF FOOTNOTES

- 1 Suitable instruments for measuring the temperature in the cargo are to be provided. In case of portable temperature sensors the arrangement shall enable the measurement of temperature without entering the hold.
- 2 Not to be stowed adjacent to fuel tanks heated to more than 50°C.
- 3 Stowage at least 3 m distance to engine room bulkhead, e.g. with a grain bulkhead barded or other means of separation.
- 4 Prior to loading fuel tanks adjacent to the cargo hold(s) are to be pressure tested for tightness.
- 5 A suitable instrument for measuring concentration of methane is to be provided.
- 6 A suitable instrument for measuring oxygen concentration (0 – 21 % by volume) is to be provided.
- 7 A suitable instrument for measuring concentration of carbon monoxide is to be provided.
- 8 Not to be stowed adjacent to fuel tanks heated to more than 55°C.
- 9 Not to be stowed against heated surfaces, including fuel tanks which may require heating.
- 10 A suitable instrument for measuring concentration of hydrogen is to be provided.
- 11 Suitable instruments for measuring the surface temperature of the cargo are to be provided. In case of portable temperature sensors the arrangement shall enable the measurement of temperature without entering the hold.
- 12 A suitable instrument for measuring toxic gases that may be given off from the particular cargo is to be provided.
- 13 Spark arresting screens shall be fitted to all inlet and outlet ventilation openings on deck.

APPENDIX

LIST OF EQUIPMENT

Description of equipment	Hold No.
Fixed Gas Fire Extinguishing System	
All closed cargo holds are provided with a fixed CO2 fire extinguishing system.	All
Water Supply for Fire Fighting Purpose	
Water from the fire main is immediately available by remote start of the main fire pumps from the navigation bridge.	All
Quantity of water delivered by the main fire pumps is capable of supplying four jets of water simultaneously.	All
Fire hydrants are arranged such as to reach any part of the empty cargo hold(s) with 4 jets of water not emanating from the same hydrant, two of which are from a single length of hose each.	All
Personnel Protection	
At least four (4) sets of full protective clothing resistant to chemical attack are provided.	All
At least two (2) sets of self-contained breathing apparatus with spare air cylinders for at least two refills for each set are available, additionally to fire-fighters outfits.	All
Documentation/Documents	
The update edition of the Code and the Medical First Aid Guide for Use in Accidents Involving Dangerous Goods (MFAG) are available on board.	All
The approved Loading Manual is available on board.	All
The approved Trim and Stability Manual is available on board.	All
All information/documentation required for the booklet acc. SOLAS VI/7 is available on board.	All
Warnings Signs	
"NO SMOKING", "NO NAKED FLAME" signs are posted in the vicinity of cargo hold(s) and in areas adjacent to cargo hold(s).	All
Ventilation of Cargo Holds	
Only natural ventilation is provided.	1, 2, 3, 4, 5, 6, 7
Ventilation – Additional Provisions	
Ventilation is arranged such that escaping gases do not reach living quarters on or under deck.	1, 2, 3, 4, 5, 6, 7
Engine Room Boundaries	
Cargo hold is not located adjacent to machinery spaces of category A.	1, 2, 3, 4, 5, 6
Bulkheads between cargo hold and machinery spaces of category A are not insulated to A-60 standard.	7
Other Boundaries	
Boundaries of the cargo hold(s) are resistant to fire and passage of water (at least A-0 standard).	1, 2, 3, 4, 5, 6, 7
Adjacent Fuel Tanks	
Fuel tanks arranged adjacent to cargo hold(s) are heatable.	5, 6, 7
Fuel tanks are arranged adjacent to (under or besides) cargo hold(s).	5, 6, 7
Cargo Hold Closures	

Description of equipment	Hold No.
Weather deck closures and closures for all ventilators and other openings leading to the cargo hold(s) have been inspected and tested (hose testing or equivalent) to ensure weathertightness.	1, 2, 3, 4, 5, 6, 7
Miscellaneous	
Two sampling points per cargo hold are arranged in the hatch coamings, provided with threaded stubs and sealing caps, in accordance with the Code.	1, 2, 3, 4, 5, 6, 7
Means are provided for testing acidity of water in the bilge wells of the cargo hold(s).	1, 2, 3, 4, 5, 6, 7

SPECIMEN